



4.1 快插式气动管接头

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

塑料体帽颜色 / COLOR

代号	无	A
颜色/Color		


订购号 / Order

PC	06						01							
型号 \model	①						②							
①	管径 / Tube Outer Diameter													
	代号 /Code	04	05	06	07	08	09	10	11	12	13	14	15	16
	气管外径 /Tube Outer Diameter	Φ4	Φ5	Φ6	Φ7	Φ8	Φ9	Φ10	Φ11	Φ12	Φ13	Φ14	Φ15	Φ16
②	螺纹尺寸 /Thread Size													
		英制锥管螺纹 /Taper Pipe Thread					英制直管螺纹 /G Thread				公制螺纹 / Mertric Thread			
	代号 /Code	01	02	03	04	06	G01	G02	G03	G04	M5	M6	M8×1	
	尺寸 /Size	R1/8	R1/4	R3/8	R1/2	R3/4	G1/8	G1/4	G3/8	G1/2	M5×0.8	M6×1	M8×1	

特点 / FEATURES

- 快插式气动管接头用于气动管类系统
- 管接头具有各种各样的型号，可以满足你在气动管类系统中的所有需要
- 即使安装之后，管道的方向仍然可以自由改变
- 镀镍的铜体可以防腐蚀和污染
- 所有的 R 和 NPT 螺纹胶都起密封作用
- 所有的直螺纹都用标准的 O 型圈
- One-Touch tube fittings are used in pneumatics piping
- The tube fittings come in a wide variety of models to meet all your needs in pneumatics piping
- Even after installation, the direction of the tube can be changed freely
- Nickel-Plated metal body ensures Anti-Corrosion and Anti-Contamination
- AIIR and NPT threads are Pre-Coated sealant
- All cylindrical threads are standard with O-Ring seals

结构图 / STRUCTURE CHART




技术参数 / SPECIFICATIONS

使用流体 / Fluid	空气，真空 / Air, Vacuum
使用压力范围 / Operating Pressure	0 ~ 1.0MPa (150psi)
负压 / Negative Pressure	-100Kpa (-29.5in-Hg)
耐压 / Max Pressure	1.5MPa
使用环境及流体温度 / Operating Temperature	-20-70° C (-4-158° F)
适用软管 / Applicable Tube	PU 及尼龙管 / Polyurethane and Nylon


4.1·快插式气动管接头

4.1·Quick Connecting Tube Fittings

✓ PC 螺纹直通 		MODEL	ΦD	R	L1	L2	○	✂
		PC04-M5	4	M5	3.5	20	2	10
		PC04-M6		M6	4	20.4	2	10
		PC04-01		R1/8	7.5	19.5	3	10
		PC04-02		R1/4	9.5	18	3	14
		PC04-03		R3/8	10.5	19	3	17
		PC06-M5	6	M5	3.5	21	2	12
		PC06-M6		M6	4	21	2	12
		PC06-01		R1/8	7.5	20.5	4	12
		PC06-02		R1/4	9.5	21	4	14
		PC06-03		R3/8	10.5	20.5	4	17
		PC06-04		R1/2	13.5	24.1	4	21
		PC08-M5	8	M5	3.5	24	2	14
		PC08-M6		M6	4	23.5	2	14
		PC08-01		R1/8	7.5	25.5	5	14
		PC08-02		R1/4	9.5	24.5	5	14
		PC08-03		R3/8	10.5	21.5	6	17
		PC08-04		R1/2	13.5	25.5	6	21
		PC10-01	10	R1/8	7.5	29.5	5	17
		PC10-02		R1/4	9.5	30.5	6	17
		PC10-03		R3/8	10.5	28	8	17
		PC10-04		R1/2	13.5	26.5	8	21
		PC12-01	12	R1/8	7.5	30.6	5	21
		PC12-02		R1/4	9.5	32.5	6	21
		PC12-03		R3/8	10.5	30	8	21
		PC12-04		R1/2	13.5	32.5	8	21
		PC14-03	14	R3/8	10.5	34	8	22
		PC14-04		R1/2	13.5	32.6	10	22
		PC15-03	15	R3/8	10.5	36.3	8	24
		PC15-04		R1/2	13.5	34.5	10	24
		PC16-02	16	R1/4	9.5	36	8	24
		PC16-03		R3/8	10.5	36.5	8	24
		PC16-04		R1/2	13.5	38.5	10	24
		PC16-06		R3/4	15	36.6		27


4.1·快插式气动管接头

4.1· Quick Connecting Tube Fittings

✓ PB 螺纹正三通 		MODEL	ΦD	R	L1	L2	L3	ΦD1	↗
		PB04-M5	4	M5	3.5	22.5	38	11.5	10
		PB04-M6		M6	4	23	38	11.5	10
		PB04-01		R1/8	7.5	25	38	11.5	10
		PB04-02		R1/4	9.5	28	38	11.5	14
		PB04-03		R3/8	10.5	29.5	38	11.5	17
		PB06-M5	6	M5	3.5	23.2	39	13.5	12
		PB06-M6		M6	4	23.7	39	13.5	12
		PB06-01		R1/8	7.5	25.7	39	13.5	12
		PB06-02		R1/4	9.5	28.2	39	13.5	14
		PB06-03		R3/8	10.5	29.7	39	13.5	17
		PB06-04		R1/2	13.5	33.2	39	13.5	21
		PB08-01	8	R1/8	7.5	29.5	45	15	14
		PB08-02		R1/4	9.5	31.5	45	15	14
		PB08-03		R3/8	10.5	33	45	15	17
		PB08-04		R1/2	13.5	36.5	45	15	21
		PB10-01	10	R1/8	7.5	35	57	19	17
		PB10-02		R1/4	9.5	37	57	19	17
		PB10-03		R3/8	10.5	38	57	19	17
		PB10-04		R1/2	13.5	41.8	57	19	21
		PB12-01	12	R1/8	7.5	36	59	21.5	21
		PB12-02		R1/4	9.5	38.5	59	21.5	21
		PB12-03		R3/8	10.5	39.5	59	21.5	21
		PB12-04		R1/2	13.5	42.5	59	21.5	21
		PB14-03	14	R3/8	10.5	41	60	23.5	22
		PB14-04		R1/2	13.5	44	60	23.5	22
		PB15-03	15	R3/8	10.5	44	66	26.5	24
		PB15-04		R1/2	13.5	47	66	26.5	24
		PB16-03	16	R3/8	10.5	44	66	26.5	24
		PB16-04		R1/2	13.5	47	66	26.5	24
		PB16-06		R3/4	15	49	66	26.5	27


4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

✓ PCF 内螺纹直通 		MODEL	ΦD	Rc	L1	L2	ΦD1	🔑
		PCF04-M5	4	M5	5.5	21	10	10
		PCF04-M6		M6	6	21.5	10	10
		PCF04-01		Rc1/8	8.5	24	10	14
		PCF04-02		Rc1/4	11	26.5	10	17
		PCF06-M5	6	M5	5.5	21.5	12	12
		PCF06-M6		M6	6	22	12	12
		PCF06-01		Rc1/8	8.5	24.5	12	14
		PCF06-02		Rc1/4	11	27	12	17
		PCF06-03	8	Rc3/8	12	28	12	21
		PCF06-04		Rc1/2	14	30	12	24
		PCF08-01		Rc1/8	8.5	26	14	14
		PCF08-02		Rc1/4	11	28.5	14	17
		PCF08-03		Rc3/8	12	29.5	14	21
		PCF08-04		Rc1/2	14	31.5	14	24
		PCF10-01	10	Rc1/8	8.5	29.5	17	17
		PCF10-02		Rc1/4	11	32.7	17	17
		PCF10-03		Rc3/8	12	33	17	21
		PCF10-04		Rc1/2	14	35.7	17	24
		PCF12-01	12	Rc1/8	8.5	31	20	21
		PCF12-02		Rc1/4	11	33.5	20	21
		PCF12-03		Rc3/8	12	34.5	20	21
		PCF12-04		Rc1/2	14	36.5	20	24
		PCF16-03	16	Rc3/8	12	36.5	24	24
		PCF16-04		Rc1/2	14	38.5	24	24

4.1·快插式气动管接头


4.1· Quick Connecting Tube Fittings

✓ POC 圆螺纹直通 		MODEL	ΦD	R	L1	L2	ΦD1	○
		POC04-M5	4	M5	3.5	20	10	2
		POC04-M6		M6	4	20.4	10	2
		POC04-01		R1/8	7.5	19.5	10	3
		POC04-02		R1/4	9.5	18	14	3
		POC06-M5	6	M5	3.5	21	12	2
		POC06-M6		M6	4	21	12	2
		POC06-01		R1/8	7.5	20.5	12	4
		POC06-02		R1/4	9.5	21	14	4
		POC06-03	8	R3/8	10.5	20.5	17	4
		POC06-04		R1/2	13.5	24.1	21	4
		POC08-01		R1/8	7.5	25.5	14	5
		POC08-02		R1/4	9.5	24.5	14	5
		POC08-03		R3/8	10.5	21.5	17	6
		POC08-04		R1/2	13.5	25.5	21	6
		POC10-01	10	R1/8	7.5	29.5	17	5
		POC10-02		R1/4	9.5	30.5	17	6
		POC10-03		R3/8	10.5	28	17	8
		POC10-04		R1/2	13.5	26.5	21	8
		POC12-01	12	R1/8	7.5	30.6	21	5
		POC12-02		R1/4	9.5	32.5	21	6
		POC12-03		R3/8	10.5	30	21	8
		POC12-04		R1/2	13.5	32.5	21	8
		POC16-03	16	R3/8	10.5	36.5	24	8
		POC16-04		R1/2	13.5	38.5	24	10

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings


PD 螺纹侧三通



MODEL	ΦD	R	L1	L2	L3	L4	ΦD1	
PD04-M5	4	M5	3.5	22.5	41.5	19	11.5	10
PD04-M6		M6	4	23	42	19	11.5	10
PD04-01		R1/8	7.5	25	44	19	11.5	10
PD04-02		R1/4	9.5	28	47	19	11.5	14
PD04-03		R3/8	10.5	29.5	48.5	19	11.5	17
PD06-M5	6	M5	3.5	23.2	42.4	19.2	13.5	12
PD06-M6		M6	4	23.7	42.9	19.2	13.5	12
PD06-01		R1/8	7.5	25.7	44.9	19.2	13.5	12
PD06-02		R1/4	9.5	28.2	47.5	19.2	13.5	14
PD06-03		R3/8	10.5	29.7	49	19.2	13.5	17
PD06-04	8	R1/2	13.5	33.2	52.5	19.2	13.5	21
PD08-01		R1/8	7.5	29.5	52	22.5	15	14
PD08-02		R1/4	9.5	31.5	54	22.5	15	14
PD08-03		R3/8	10.5	33	55.5	22.5	15	17
PD08-04		R1/2	13.5	36.5	59	22.5	15	21
PD10-01	10	R1/8	7.5	35	63	27.8	19	17
PD10-02		R1/4	9.5	37	65.5	27.8	19	17
PD10-03		R3/8	10.5	38	66.5	27.8	19	17
PD10-04		R1/2	13.5	41.5	70	27.8	19	21
PD12-01	12	R1/8	7.5	36	65.5	29.5	21.5	21
PD12-02		R1/4	9.5	38.5	68	29.5	21.5	21
PD12-03		R3/8	10.5	39.5	69	29.5	21.5	21
PD12-04		R1/2	13.5	42.5	72	29.5	21.5	21
PD14-03	14	R3/8	10.5	40	70	30	23.5	22
PD14-04		R1/2	13.5	43	73	30	23.5	22
PD15-03	15	R3/8	10.5	44	77	33	26.5	24
PD15-04		R1/2	13.5	47	80	33	26.5	24
PD16-03	16	R3/8	10.5	44	77	33	26.5	24
PD16-04		R1/2	13.5	47	80	33	26.5	24
PD16-06		R3/4	15	49	82	33	26.5	27


4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

✓ PLF 内螺纹弯头 		MODEL	ΦD	Rc	L1	L2	L3	ΦD1	
		PLF04-M5	4	M5	5.5	19.5	19	11.5	10
		PLF04-M6		M6	6	20	19	11.5	10
		PLF04-01		Rc1/8	8.5	23.3	19	11.5	14
		PLF04-02		Rc1/4	11	25.8	19	11.5	17
		PLF06-M5	6	M5	5.5	19.2	19.2	13.5	12
		PLF06-M6		M6	6	19.7	19.2	13.5	12
		PLF06-01		Rc1/8	8.5	22.7	19.2	13.5	14
		PLF06-02		Rc1/4	11	25.7	19.2	13.5	17
		PLF06-03		Rc3/8	12	27.2	19.2	13.5	21
		PLF06-04		Rc1/2	14	32	19.2	13.5	24
		PLF08-01	8	Rc1/8	8.5	25	22.5	15	14
		PLF08-02		Rc1/4	11	28.5	22.5	15	17
		PLF08-03		Rc3/8	12	30	22.5	15	21
		PLF08-04		Rc1/2	14	34.5	22.5	15	24
		PLF10-01	10	Rc1/8	8.5	27.3	27.8	19	17
		PLF10-02		Rc1/4	11	32.3	27.8	19	17
		PLF10-03		Rc3/8	12	33.8	27.8	19	21
		PLF10-04		Rc1/2	14	36.8	27.8	19	24
		PLF12-01	12	Rc1/8	8.5	34	29.5	21.5	21
		PLF12-02		Rc1/4	11	34.5	29.5	21.5	21
		PLF12-03		Rc3/8	12	35.5	29.5	21.5	21
		PLF12-04		Rc1/2	14	38	29.5	21.5	24


4.1·快插式气动管接头

4.1·Quick Connecting Tube Fittings

✓ PL45-45°螺纹弯头 		MODEL	ΦD	R	L1	L2	L3	L4	ΦD1	
		PL45 04-M5	4	M5	3.5	22.5	19	39.5	11.5	10
		PL45 04-M6		M6	4	23.5	19	40.5	11.5	10
		PL45 04-01		R1/8	7.5	25	19	42	11.5	10
		PL45 04-02		R1/4	9.5	28	19	45	11.5	14
		PL45 04-03		R3/8	10.5	29.5	19	46.5	11.5	17
		PL45 06-M5	6	M5	3.5	22.5	19.2	40.5	13.5	12
		PL45 06-M6		M6	4	23.5	19.2	41.5	13.5	12
		PL45 06-01		R1/8	7.5	25.5	19.2	43.5	13.5	12
		PL45 06-02		R1/4	9.5	28	19.2	46	13.5	14
		PL45 06-03		R3/8	10.5	29.5	19.2	47.5	13.5	17
		PL45 06-04		R1/2	13.5	33	19.2	51	13.5	21
		PL45 08-01	8	R1/8	7.5	29.5	22.5	50	15	14
		PL45 08-02		R1/4	9.5	31.5	22.5	52	15	14
		PL45 08-03		R3/8	10.5	33	22.5	53.5	15	17
		PL45 08-04		R1/2	13.5	36.5	22.5	57	15	21
		PL45 10-01	10	R1/8	7.5	34	27.8	60.5	19	17
		PL45 10-02		R1/4	9.5	36	27.8	62.5	19	17
		PL45 10-03		R3/8	10.5	37	27.8	63.5	19	17
		PL45 10-04		R1/2	13.5	40.5	27.8	67	19	21
		PL45 12-01	12	R1/8	7.5	36	29.5	64	21.5	21
		PL45 12-02		R1/4	9.5	38.5	29.5	66.5	21.5	21
		PL45 12-03		R3/8	10.5	39.5	29.5	67.5	21.5	21
		PL45 12-04		R1/2	13.5	42.5	29.5	70.5	21.5	21

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

✓ IPLL 加长 L 型螺纹弯头 		MODEL	ΦD	R	L1	L2	L3	ΦD1	
		IPLL04-M5	4	M5	3.5	34.5	19	11.5	10
		IPLL04-M6		M6	4	35	19	11.5	10
		IPLL04-01		R1/8	7.5	37	19	11.5	10
		IPLL04-02		R1/4	9.5	40	19	11.5	14
		IPLL06-M5	6	M5	3.5	36.5	19.2	13.5	12
		IPLL06-M6		M6	4	37	19.2	13.5	12
		IPLL06-01		R1/8	7.5	39.7	19.2	13.5	12
		IPLL06-02		R1/4	9.5	42.2	19.2	13.5	14
		IPLL06-03		R3/8	10.5	43.7	19.2	13.5	17
		IPLL06-04		R1/2	13.5	47.2	19.2	13.5	21
		IPLL08-01	8	R1/8	7.5	44.8	22.5	15	14
		IPLL08-02		R1/4	9.5	46.8	22.5	15	14
		IPLL08-03		R3/8	10.5	49.9	22.5	15	17
		IPLL08-04		R1/2	13.5	50.8	22.5	15	21
		IPLL10-01	10	R1/8	7.5	54.5	27.8	19	17
		IPLL10-02		R1/4	9.5	56.5	27.8	19	17
		IPLL10-03		R3/8	10.5	57.5	27.8	19	17
		IPLL10-04		R1/2	13.5	61	27.8	19	21
		IPLL12-01	12	R1/8	7.5	59.5	29.5	21.5	21
		IPLL12-02		R1/4	9.5	61.5	29.5	21.5	21
		IPLL12-03		R3/8	10.5	62.5	29.5	21.5	21
		IPLL12-04		R1/2	13.5	65.5	29.5	21.5	21

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings


		MODEL	ΦD	ΦD1	ΦD2	L	L1	L2	M	↻
		PLM04	4	11.5	10	19	31	6	M12×1	14
		PLM06	6	13.5	12	19.2	34.5	7	M14×1	17
		PLM08	8	15	14	22.5	41	7.5	M16×1	19
		PLM10	10	19	17	28.5	47	9.5	M20×1	24
		PLM12	12	21.5	20	29.5	49	10	M22×1	26

		MODEL	ΦD	R	L1	L2	L3	ΦD1	↻
		PL04-M5	4	M5	3.5	22.5	19	11.5	10
		PL04-M6		M6	4	23	19	11.5	10
		PL04-01		R1/8	7.5	25	19	11.5	10
		PL04-02		R1/4	9.5	28	19	11.5	14
		PL04-03		R3/8	10.5	29.5	19	11.5	17
		PL06-M5	6	M5	3.5	23.2	19.2	13.5	12
		PL06-M6		M6	4	23.7	19.2	13.5	12
		PL06-01		R1/8	7.5	25.7	19.2	13.5	12
		PL06-02		R1/4	9.5	28.2	19.2	13.5	14
		PL06-03		R3/8	10.5	29.7	19.2	13.5	17
		PL06-04		R1/2	13.5	33.2	19.2	13.5	21
		PL08-M5	8	M5	3.5	26	22.5	15	14
		PL08-01		R1/8	7.5	29	22.5	15	14
		PL08-02		R1/4	9.5	31	22.5	15	14
		PL08-03		R3/8	10.5	33	22.5	15	17
		PL08-04		R1/2	13.5	36.5	22.5	15	21
		PL10-01	10	R1/8	7.5	34.5	27.8	19	17
		PL10-02		R1/4	9.5	36.5	27.8	19	17
		PL10-03		R3/8	10.5	37.5	27.8	19	17
		PL10-04		R1/2	13.5	41	27.8	19	21
		PL12-01	12	R1/8	7.5	36	29.5	21.5	21
		PL12-02		R1/4	9.5	38.5	29.5	21.5	21
		PL12-03		R3/8	10.5	39.5	29.5	21.5	21
		PL12-04		R1/2	13.5	42.5	29.5	21.5	21
		PL14-03	14	R3/8	10.5	40.5	30.5	23.5	22
		PL14-04		R1/2	13.5	43.5	30.5	23.5	22
		PL15-03	15	R3/8	10.5	44	33	26.5	24
		PL15-04		R1/2	13.5	47	33	26.5	24
		PL16-02	16	R1/4	9.5	43	33	26.5	24
		PL16-03		R3/8	10.5	44	33	26.5	24
		PL16-04		R1/2	13.5	47	33	26.5	24
		PL16-06		R3/4	15	49	33	26.5	27

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings


✓ PU 塑料直通



MODEL	ΦD	ΦD1	ΦD2	ΦD3	L
PU04	4	4	11.5	11.5	34
PU06	6	6	13.5	13.5	35.5
PU08	8	8	15	15	38.5
PU10	10	10	19	19	48
PU12	12	12	21.5	21.5	49
PU14	14	14	23.5	23.5	48
PU15	15	15	26.5	26.5	64
PU16	16	16	26.5	26.5	64
PU06-04	6	4	13.5	11.5	34.5
PU08-04	8	4	15	13.5	36.5
PU08-06	8	6	15	13.5	36.5
PU10-06	10	6	19	15	44
PU10-08	10	8	19	15	44
PU12-06	12	6	21.5	19	48
PU12-08	12	8	21.5	19	48
PU12-10	12	10	21.5	19	49
PU14-12	14	12	23.5	23.5	48
PU16-12	16	12	26.5	26.5	64
PU16-14	16	14	26.5	26.5	64
MODEL	ΦD	ΦD1	ΦD2	ΦD3	L
PU5/32	5/32	5/32	11.5	11.5	34
PU3/16	3/16	3/16	11.5	11.5	34
PU1/4	1/4	1/4	13.5	13.5	35.5
PU5/16	5/16	5/16	15	15	38.5
PU3/8	3/8	3/8	19	19	48
PU1/2	1/2	1/2	21.5	21.5	49
PU3/16-5/32	3/16	5/32	11.5	11.5	34
PU1/4-3/16	1/4	3/16	13.5	11.5	35.5
PU5/16-1/4	5/16	1/4	15	13.5	38.5
PU3/8-5/16	3/8	5/16	19	15	47
PU1/2-3/8	1/2	3/8	21.5	19	49


4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

			MODEL	ΦD	ΦD1	ΦD2	ΦD3	L1	L2	L3	L4
			PE04	4	4	11.5	3.2	38	14	19	7
			PE06	6	6	13.5	3.2	39	16	19.2	8
			PE08	8	8	15	3.2	45	19	22.5	9
			PE10	10	10	19	4.2	57	24	28	12
			PE12	12	12	21.5	4.3	59	26	29.5	13
			PE14	14	14	23.5	/	59	/	29.5	/
			PE15	15	15	26.5	/	64	/	32	/
			PE16	16	16	26.5	/	64	/	32	/
			PE06-04-06	6	4	13.5	3.2	39	16	19.2	8
			PE08-04-08	8	4	15	3.2	45	19	22.5	9.5
			PE08-06-08	8	6	15	3.2	45	19	22.5	9.5
			PE10-06-10	10	6	19	4.2	57	24	26.3	12
			PE10-08-10	10	8	19	4.2	57	24	26.8	12
			PE12-08-12	12	8	21.5	4.3	59	26	28.5	13
			PE12-10-12	12	10	21.5	4.3	59	26	29.5	13
			PE14-12-14	14	12	23.5	/	59	/	29.5	/
			PE16-12-16	16	12	26.5	/	64	/	32	/
			PE16-14-16	16	14	26.5	/	64	/	32	/
			PE04-06-04	4	6	13.5	3.2	39	16	19.2	8
			PE06-08-06	6	8	15	3.2	45	19	22.5	9.5
			PE08-10-08	8	10	19	4.2	57	24	26.8	12
			PE10-12-10	10	12	21.5	4.2	59	26	29.5	13
			PE12-16-12	12	16	26.5	/	64	/	32	/
			MODEL	ΦD	ΦD1	ΦD2	ΦD3	L1	L2	L3	L4
			PE5/32	5/32	5/32	11.5	3.2	38	14	19	7
			PE3/16	3/16	3/16	11.5	3.2	38	14	19	7
			PE1/4	1/4	1/4	13.5	3.2	39	16	19.2	8
			PE5/16	5/16	5/16	15	3.2	45	19	22.5	9.5
			PE3/8	3/8	3/8	19	4.2	57	24	28	12
			PE1/2	1/2	1/2	21.5	4.3	59	26	29.5	13
			PE3/16-5/32-3/16	3/16	5/32	11.5	3.2	38	14	19	7
			PE1/4-3/16-1/4	1/4	3/16	13.5	3.2	39	16	19.2	8
			PE5/16-1/4-5/16	5/16	1/4	15	3.2	45	18	22.5	9.5
			PE3/8-5/16-3/8	3/8	5/16	19	4.2	57	24	26.8	12
			PE1/2-3/8-1/2	1/2	3/8	21.5	4.3	59	27	29.5	13



4.1 · 快插式气动管接头



4.1 · Quick Connecting Tube Fittings

 PXY 型螺纹三通		MODEL	ΦD	R	L1	L2	L3	L4	ΦD1	ΦD2	
		PX04-M5	4	M5	3.5	11	40	14.5	11.5	3.2	10
		PX04-M6		M6	4	11	40.5	14.5	11.5	3.2	10
		PX04-01		R1/8	7.5	11	42.5	14.5	11.5	3.2	10
		PX04-02		R1/4	9.5	11	45.5	14.5	11.5	3.2	14
		PX04-03		R3/8	10.5	11	47	14.5	11.5	3.2	17
		PX06-M5	6	M5	3.5	13	41.5	15	13.5	3.2	12
		PX06-M6		M6	4	13	42	15	13.5	3.2	12
		PX06-01		R1/8	7.5	13	44	15	13.5	3.2	12
		PX06-02		R1/4	9.5	13	46.5	15	13.5	3.2	14
		PX06-03		R3/8	10.5	13	48	15	13.5	3.2	17
		PX06-04		R1/2	13.5	13	51.5	15	13.5	3.2	21
		PX08-01	8	R1/8	7.5	15	46.5	18	15	3.2	14
		PX08-02		R1/4	9.5	15	48.5	18	15	3.2	14
		PX08-03		R3/8	10.5	15	50	18	15	3.2	17
		PX08-04		R1/2	13.5	15	53.5	18	15	3.2	21
		PX10-01	10	R1/8	7.5	18	56.5	21	19	4.2	17
		PX10-02		R1/4	9.5	18	58.5	21	19	4.2	17
		PX10-03		R3/8	10.5	18	59.5	21	19	4.2	17
		PX10-04		R1/2	13.5	18	63	21	19	4.2	21
		PX12-01	12	R1/8	7.5	21	59.5	21.5	21.5	4.2	21
		PX12-02		R1/4	9.5	21	62	21.5	21.5	4.2	21
		PX12-03		R3/8	10.5	21	63	21.5	21.5	4.2	21
		PX12-04		R1/2	13.5	21	66	21.5	21.5	4.2	21

4.1·快插式气动管接头

4.1·Quick Connecting Tube Fittings

		MODEL	ΦD	ΦD1	ΦD2	ΦD3	ΦD4	L1	L2	L3	H1	H2
		PK04	4	4	14.5	13.5	3.2	60	42	26	19	9
		PK06	6	6	14.5	13.5	3.2	60	42	26	20.5	9
		PK08	8	8	18.5	15	4.2	82	48	29	24	11
		PK10	10	10	18.5	18.5	4.2	93	61	37	27.5	12
		PK06-04	6	4	14.5	13.5	3.2	60	42	26	19.5	9
		PK08-04	8	4	14.5	13.5	3.2	62	42	26	20.5	9
		PK08-06	8	6	14.5	13.5	3.2	62	42	26	20.5	9
		PK10-06	10	6	18.5	15	4.2	83	48	29	24	11
		PK10-08	10	8	18.5	15	4.2	83	48	29	24	11
		MODEL	ΦD	ΦD1	ΦD2	ΦD3	ΦD4	L1	L2	L3	H1	H2
		PK3/16-5/32	3/16	5/32	14.5	13.5	3.2	60	42	26	19.5	9
		PK1/4-3/16	1/4	3/16	14.5	13.5	3.2	60	42	26	19.5	9
		PK5/16-1/4	5/16	1/4	14.5	13.5	3.2	62	42	26	20.5	9
		PK3/8-5/16	3/8	5/16	18.5	15	4.2	83	48	29	24	11

		MODEL	ΦD	R	L1	L	L2	L3	ΦD1	ΦD2	H1	H2	↗
		PKD04-M5		M5	3.5	66	42	26	14.5	3.2	19	9	10
		PKD04-01	4	R1/8	7.5	68.5	42	26	14.5	3.2	19	9	10
		PKD04-02		R1/4	9.5	71.5	42	26	14.5	3.2	19	9	14
		PKD04-03		R3/8	10.5	72.5	42	26	14.5	3.2	19	9	17
		PKD06-M5		M5	3.5	67	42	26	14.5	3.2	20.5	9	10
		PKD06-01	6	R1/8	7.5	70	42	26	14.5	3.2	20.5	9	12
		PKD06-02		R1/4	9.5	72	42	26	14.5	3.2	20.5	9	14
		PKD06-03		R3/8	10.5	73	42	26	14.5	3.2	20.5	9	17
		PKD06-04		R1/2	13.5	76.5	42	26	14.5	3.2	20.5	9	21
		PKD08-01	8	R1/8	7.5	89	48	29	18.5	4.2	24	11	14
		PKD08-02		R1/4	9.5	91	48	29	18.5	4.2	24	11	14
		PKD08-03		R3/8	10.5	92.5	48	29	18.5	4.2	24	11	17
		PKD08-04		R1/2	13.5	96	48	29	18.5	4.2	24	11	21
		PKD10-01	10	R1/8	7.5	100	60.8	36.8	18.5	4.2	27.5	12	17
		PKD10-02		R1/4	9.5	102	60.8	36.8	18.5	4.2	27.5	12	17
		PKD10-03		R3/8	10.5	103	60.8	36.8	18.5	4.2	27.5	12	17
		PKD10-04		R1/2	13.5	106.5	60.8	36.8	18.5	4.2	27.5	12	21

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings


 PV 塑料弯头

MODEL	ΦD	ΦD1	ΦD2	ΦD3	L1	L2
PV04	4	4	11.5	3.2	19	7
PV06	6	6	13.5	3.2	19.2	8
PV08	8	8	15	3.2	22.5	9.5
PV10	10	10	19	4.2	27.8	12
PV12	12	12	21.5	4.2	29.5	13
PV14	14	14	23.5		30.5	
PV15	15	15	26.5		33	
PV16	16	26	26.5		33	
PV08-06	8	6	15	3.2	22.5	9.5
PV10-08	10	8	19	4.2	27.8	12
PV12-10	12	10	21.5	4.2	29.5	13
MODEL	ΦD	ΦD1	ΦD2	ΦD3	L1	L2
PV5/32	5/32	5/32	11.5	3.2	19	7
PV3/16	3/16	3/16	11.5	3.2	19	7
PV1/4	1/4	1/4	13.5	3.2	19.2	8
PV5/16	5/16	5/16	15	3.2	22.5	9.5
PV3/8	3/8	3/8	19	4.2	27.8	12
PV1/2	1/2	1/2	21.5	4.2	29.5	13

 PZ 塑料四通









MODEL	ΦD	ΦD1	ΦD2	L1	L2	L3
PZ04	4	11.5	3.2	38	14	7
PZ06	6	13.5	3.2	39	16	8
PZ08	8	15	3.2	45	18	9.5
PZ10	10	19	4.2	57	24	12
PZ12	12	21.5	4.3	59	26	13
MODEL	ΦD	ΦD1	ΦD2	L1	L2	L3
PZ5/32	5/32	11.5	3.2	38	14	7
PZ1/4	1/4	13.5	3.2	39	16	8
PZ5/16	5/16	15	3.2	45	18	9.5
PZ3/8	3/8	19	4.2	57	24	12
PZ1/2	1/2	21.5	4.3	59	26	13

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

PH 外六角接头		MODEL	ΦD	R	L1	L2	L3	L4	ΦD1	↗
		PH04-M5	4	M5	3.5	10.7	16.7	20.5	11.5	8
		PH04-01		R1/8	7.5	15	23.5	23.5	11.5	12
		PH04-02		R1/4	9.5	16.8	26.5	25.5	11.5	14
		PH06-M5	6	M5	3.5	11.7	16.7	22	13.5	8
		PH06-01		R1/8	7.5	15	23.5	23.5	13.5	12
		PH06-02		R1/4	9.5	16.2	26.5	25.4	13.5	14
		PH06-03		R3/8	10.5	19	32	29.5	13.5	19
		PH06-04		R1/2	13.5	24	38.5	32	13.5	24
		PH08-01	8	R1/8	7.5	15.7	23.5	26.5	15	12
		PH08-02		R1/4	9.5	17.5	26.5	28.9	15	14
		PH08-03		R3/8	10.5	19	32	29.8	15	19
		PH08-04		R1/2	13.5	24	38.5	32.5	15	24
		PH10-01	10	R1/8	7.5	18	23.5	30.5	19	12
		PH10-02		R1/4	9.5	19.5	26.5	32.6	19	14
		PH10-03		R3/8	10.5	21	32	33	19	19
		PH10-04		R1/2	13.5	24.2	38.5	36	19	24
		PH12-01	12	R1/8	7.5	19	23.5	31.3	21.5	12
		PH12-02		R1/4	9.5	20.8	26.5	33.5	21.5	14
		PH12-03		R3/8	10.5	22.2	32	35.5	21.5	19
		PH12-04		R1/2	13.5	25.5	38.5	36.5	21.5	24


PHF 串联接头		MODEL	ΦD	R	Rc	L1	L2	L3	L4	ΦD1	↗
		PHF04-M5	4	M5	M5	3.5	5.5	19.5	20.5	11.5	8
		PHF04-01		R1/8	Rc1/8	7.5	8.5	29	23.5	11.5	14
		PHF04-02		R1/4	Rc1/4	9.5	11	35	25.5	11.5	17
		PHF06-M5	6	M5	M5	3.5	5.5	19.5	22	13.5	8
		PHF06-01		R1/8	Rc1/8	7.5	8.5	29	23.5	13.5	14
		PHF06-02		R1/4	Rc1/4	9.5	11	35	25.4	13.5	17
		PHF06-03		R3/8	Rc3/8	10.5	12	40	29.5	13.5	21
		PHF08-01	8	R1/8	Rc1/8	7.5	8.5	29	26.5	15	14
		PHF08-02		R1/4	Rc1/4	9.5	11	35	28.9	15	17
		PHF08-03		R3/8	Rc3/8	10.5	12	40	29.8	15	21
		PHF08-04		R1/2	Rc1/2	13.5	14	47.5	32.5	15	24
		PHF10-02	10	R1/4	Rc1/4	9.5	11	35	32.6	19	17
		PHF10-03		R3/8	Rc3/8	10.5	12	40	33	19	21
		PHF10-04		R1/2	Rc1/2	13.5	14	47.5	36	19	24
		PHF12-02	12	R1/4	Rc1/4	9.5	11	35	33.5	21.5	17
		PHF12-03		R3/8	Rc3/8	10.5	12	40	35.5	21.5	21
		PHF12-04		R1/2	Rc1/2	13.5	14	47.5	36.5	21.5	24

4.1·快插式气动管接头

4.1·Quick Connecting Tube Fittings








MODEL	ΦD	R	L1	L2	L3	L4	L5	ΦD1	
PA04-01	4	R1/8	7.5	15.5	25.5	24	13	13	12
PA06-01	6	R1/8	7.5	15.5	25.5	24	13	13	12
PA08-02	8	R1/4	9.5	18.3	29	28.6	14.5	14.5	16
PA10-03	10	R3/8	10.5	21.2	35	34	18.5	18.5	19
PA12-04	12	R1/2	13.5	26.1	42	37.5	21	21	24



MODEL	ΦD	R	Rc	L	L1	L2	L3	L4	L5	ΦD1	
PAF04-01	4	R1/8	Rc1/8	8.5	7.5	15.5	31	24	13	13	13
PAF06-01	6	R1/8	Rc1/8	8.5	7.5	15.5	31	24	13	13	13
PAF08-02	8	R1/4	Rc1/4	11	9.5	18.3	37.5	28.6	14.5	14.5	16
PAF10-03	10	R3/8	Rc3/8	12	10.5	21.2	43.5	34	18.5	18.5	20
PAF12-04	12	R1/2	Rc1/2	14	13.5	26.1	51.5	37.5	21	21	24

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings


PHT (2) 串联直角 (2)


MODEL	ΦD	R	L1	L2	L3	L4	L5	ΦD1	
PHT04-01(2)	4	R1/8	7.5	14	15	38.5	23.5	11.5	12
PHT04-02(2)		R1/4	9.5	16.5	15	41.5	25.5	11.5	14
PHT06-01(2)	6	R1/8	7.5	14	15	38.5	23.5	13.5	12
PHT06-02(2)		R1/4	9.5	16.5	15	41.5	25.4	13.5	14
PHT06-03(2)		R3/8	10.5	18.5	15.7	49.5	29.5	13.5	19
PHT06-04(2)	8	R1/2	13.5	25.5	21.5	60	32	13.5	24
PHT08-01(2)		R1/8	7.5	14.5	15	38.5	26.5	15	12
PHT08-02(2)		R1/4	9.5	17.5	15	41.5	29	15	14
PHT08-03(2)		R3/8	10.5	18.5	15.7	49.5	30	15	19
PHT08-04(2)	10	R1/2	13.5	25.5	21.5	60	32.5	15	24
PHT10-01(2)		R1/8	7.5	18	19	42.5	30.5	19	12
PHT10-02(2)		R1/4	9.5	18.5	21.5	48	32.5	19	14
PHT10-03(2)		R3/8	10.5	20.5	21.5	53.5	33	19	19
PHT10-04(2)	12	R1/2	13.5	25.5	21.5	60	36	19	24
PHT12-02(2)		R1/4	9.5	18.5	21.5	48	33.5	21.5	14
PHT12-03(2)		R3/8	10.5	22	21.5	53.5	35.5	21.5	19
PHT12-04(2)		R1/2	13.5	25.5	21.5	60	36.5	21.5	24

MODEL	ΦD	R	L1	L2	L3	L4	L5	L6	ΦD1		
PHT04-01(3)	4	R1/8	7.5	14	15	15	53	23.5	11.5	12	
PHT04-02(3)		R1/4	9.5	16.5	15	15	56.5	25.5	11.5	14	
PHT06-01(3)	6	R1/8	7.5	14	15	15	53	23.5	13.5	12	
PHT06-02(3)		R1/4	9.5	16.5	15	15	56.5	25.4	13.5	14	
PHT06-03(3)		R3/8	10.5	18.5	15.7	15.7	65.3	29.5	13.5	19	
PHT08-01(3)	8	R1/8	7.5	14.5	15	15	53	26.5	15	12	
PHT08-02(3)		R1/4	9.5	17.5	15	15	56.5	29	15	14	
PHT08-03(3)		R3/8	10.5	18.5	15.7	15.7	65.3	30	15	19	
PHT08-04(3)		R1/2	13.5	25.5	21.5	21.5	81.5	32.5	15	24	
PHT10-01(3)	10	R1/8	7.5	18	19	19	63	30.5	19	12	
PHT10-02(3)		R1/4	9.5	18.5	21.5	21.5	69.5	32.5	19	14	
PHT10-03(3)		R3/8	10.5	20.5	21.5	21.5	78	33	19	19	
PHT10-04(3)		R1/2	13.5	25.5	21.5	21.5	81.5	36	19	24	
PHT12-02(3)	12	R1/4	9.5	18.5	21.5	21.5	69.5	33.5	21.5	14	
PHT12-03(3)		R3/8	10.5	22	21.5	21.5	78	35.5	21.5	19	
PHT12-04(3)		R1/2	13.5	25.5	21.5	21.5	81.5	36.5	21.5	24	

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings


PAT (2) 双管串联直角		MODEL	ΦD	R	L1	L2	L3	L4	J	ΦD1	⌀	○
		PAT04-01(2)	4	R1/8	7.5	18.5	42	24	14	13	14	5
		PAT04-02(2)	4	R1/4	9.5	20.5	44	24	14	13	14	5
		PAT04-03(2)	4	R3/8	10.5	22	45.5	24	14	13	17	5
		PAT06-01(2)	6	R1/8	7.5	18.5	42	24	14	13	14	5
		PAT06-02(2)	6	R1/4	9.5	20.5	44	24	14	13	14	5
		PAT06-03(2)	6	R3/8	10.5	22	45.5	24	14	13	17	5
		PAT08-01(2)	8	R1/8	7.5	19.5	45	28.6	15	14.5	17	6
		PAT08-02(2)	8	R1/4	9.5	21.5	47	28.6	15	14.5	17	6
		PAT08-03(2)	8	R3/8	10.5	22.5	48	28.6	15	14.5	17	6
		PAT08-04(2)	8	R1/2	13.5	26	51.5	28.6	15	14.5	21	6
		PAT10-02(2)	10	R1/4	9.5	27	58.5	34	19	18.5	21	-
		PAT10-03(2)	10	R3/8	10.5	28	59.5	34	19	18.5	21	-
		PAT10-04(2)	10	R1/2	13.5	31	62.5	34	19	18.5	21	-
		PAT12-02(2)	12	R1/4	9.5	30.5	66.5	37.5	22	21	26	-
		PAT12-03(2)	12	R3/8	10.5	31.5	67.5	37.5	22	21	26	-
		PAT12-04(2)	12	R1/2	13.5	34.5	70.5	37.5	22	21	26	-

PAT (3) 双管串联直角		MODEL	ΦD	R	L1	L2	L3	L4	J	ΦD1	⌀	○
		PAT04-01(3)	4	R1/8	7.5	18.5	56	24	14	13	14	5
		PAT04-02(3)	4	R1/4	9.5	20.5	58	24	14	13	14	5
		PAT04-03(3)	4	R3/8	10.5	22	59.5	24	14	13	17	5
		PAT06-01(3)	6	R1/8	7.5	18.5	56	24	14	13	14	5
		PAT06-02(3)	6	R1/4	9.5	20.5	58	24	14	13	14	5
		PAT06-03(3)	6	R3/8	10.5	22	59.5	24	14	13	17	5
		PAT08-01(3)	8	R1/8	7.5	19.5	60	28.6	15	14.5	17	6
		PAT08-02(3)	8	R1/4	9.5	21.5	62	28.6	15	14.5	17	6
		PAT08-03(3)	8	R3/8	10.5	22.5	63	28.6	15	14.5	17	6
		PAT08-04(3)	8	R1/2	13.5	26	66.5	28.6	15	14.5	21	6
		PAT10-02(3)	10	R1/4	9.5	27	77.5	34	19	18.5	21	-
		PAT10-03(3)	10	R3/8	10.5	28	78.5	34	19	18.5	21	-
		PAT10-04(3)	10	R1/2	13.5	31	81.5	34	19	18.5	21	-
		PAT12-02(3)	12	R1/4	9.5	30.5	88.5	37.5	22	21	26	-
		PAT12-03(3)	12	R3/8	10.5	31.5	89.5	37.5	22	21	26	-
		PAT12-04(3)	12	R1/2	13.5	34.5	92.5	37.5	22	21	26	-

4.1 · 快插式气动管接头


4.1 · Quick Connecting Tube Fittings

✓ PXJ 插入型五通



MODEL	ΦD	ΦD1	ΦD2	ΦD3	L	L1	L2	L3
PXJ04-04	4	4	11.3	3.2	11	53.5	15	12.5
PXJ06-04	4	6	11.3	3.2	11	53	15	13
PXJ06-06	6	6	13.3	3.2	13	55.7	15	14
PXJ08-04	4	8	11.3	3.2	11	54.5	15	14
PXJ08-06	6	8	13.3	3.2	13	58	15.5	14
PXJ08-08	8	8	14.8	3.2	15	59	16.5	14
PXJ10-04	4	10	11.3	3.2	11	60.5	15	18
PXJ10-06	6	10	13.3	3.2	13	62	15.5	18
PXJ10-08	8	10	14.8	3.2	15	63	16.5	18


✓ PM 隔板直通




MODEL	ΦD	ΦD1	M	L	L1	L2	🔑
PM04	4	10	M12X1	29.5	9	11	14
PM06	6	12	M14X1	31	9	12	17
PM08	8	14	M16X1	34.5	8	15.5	19
PM10	10	17	M20X1	41.5	12	16.5	24
PM12	12	20	M22X1	44.5	14	16.5	26
PM14	14	22	M24X1	45	15	16.5	27
PM16	16	24	M26X1	51	19	18	29

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

		MODEL	ΦD	Rc	L	L1	L2	ΦD1	1	2	M
		PMF04-M5	4	M5	21	5.5	6	10	14	14	M12X1
		PMF04-01		Rc1/8	24	8.5	6	10	14	14	M12X1
		PMF04-02		Rc1/4	26.5	11	6	10	17	14	M12X1
		PMF06-M5	6	M5	22.5	6	7	12	17	17	M14X1
		PMF06-01		Rc1/8	24.8	8.5	7	12	17	17	M14X1
		PMF06-02		Rc1/4	29.5	11	7	12	17	17	M14X1
		PMF06-03		Rc3/8	30.5	12	7	12	21	17	M14X1
		PMF06-04		Rc1/2	33	14	7	12	24	17	M14X1
		PMF08-01	8	Rc1/8	26.5	8.5	7.5	14	19	19	M16X1
		PMF08-02		Rc1/4	32	11	7.5	14	19	19	M16X1
		PMF08-03		Rc3/8	34.3	12	7.5	14	21	19	M16X1
		PMF08-04		Rc1/2	36.5	14	7.5	14	24	19	M16X1
		PMF10-01	10	Rc1/8	30	8.5	9.5	17	24	24	M20X1
		PMF10-02		Rc1/4	32.5	11	9.5	17	24	24	M20X1
		PMF10-03		Rc3/8	34	12	9.5	17	24	24	M20X1
		PMF10-04		Rc1/2	38	14	9.5	17	24	24	M20X1
		PMF12-01	12	Rc1/8	31.5	8.5	10	20	24	26	M22X1
		PMF12-02		Rc1/4	34	11	10	20	24	26	M22X1
		PMF12-03		Rc3/8	35	12	10	20	24	26	M22X1
		PMF12-04		Rc1/2	37	14	10	20	24	26	M22X1

		MODEL	ΦD	R	L3	ΦD1	ΦD2	L	L1	L2	1
		PXT04-01	4	R1/8	7.5	11.3	3.2	11	43	15	12
		PXT04-02		R1/4	9.5	11.3	3.2	11	45.5	15	14
		PXT06-01	6	R1/8	7.5	13.3	3.2	13	47	15.5	14
		PXT06-02		R1/4	9.5	13.3	3.2	13	49	15.5	14
		PXT06-03		R3/8	10.5	13.3	3.2	13	50.5	15.5	17
		PXT06-04		R1/2	13.5	13.3	3.2	13	54	15.5	21
		PXT08-01	8	R1/8	7.5	14.8	3.2	15	48	16.5	14
		PXT08-02		R1/4	9.5	14.8	3.2	15	50	16.5	14
		PXT08-03		R3/8	10.5	14.8	3.2	15	51.5	16.5	17
		PXT08-04			13.5	14.8	3.2	15	55	16.5	21

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

</

4.1·快插式气动管接头

4.1·Quick Connecting Tube Fittings

PKJ 插入型五通

MODEL	ΦD	ΦD1	L	L1	L2	L3	H1	H2	ΦD2
PKJ04	4	4	76.5	19	42	26	20	9	14.5
PKJ06	6	6	77	19	42	26	20	9	14.5
PKJ08	8	8	99.5	20.5	48	29	24	11	18.5
PKJ10	10	10	114.5	24.5	60.8	37	28.5	12	18.5
PKJ06-04	6	4	77	19	42	26	20	9	14.5
PKJ08-04	8	4	80	20.5	42	26	20	9	14.5
PKJ08-06	8	6	80	20.5	42	26	20	9	14.5
PKJ10-06	10	6	103.5	24.5	48	29	24	11	18.5
PKJ10-08	10	8	103.5	24.5	48	29	24	11	18.5

PLJ 插入型弯头

Two PLJ insertion elbow fittings are shown. The top one is black with a blue cap on the side port. The bottom one is white with a metal insert in the side port.

A technical drawing of a PLJ insertion elbow fitting. It shows the side view with dimensions L1 (total length), L2 (height), ΦD (inner diameter), and ΦD2 (outer diameter). The drawing also shows the top view with dimensions L1 and L2.

MODEL	ΦD	ΦD1	ΦD2	L1	L2
PLJ04	4	4	11.5	33.7	19
PLJ06	6	6	13.5	34	19.2
PLJ08	8	8	15	38.5	22.5
PLJ10	10	10	19	46.8	27.8
PLJ12	12	12	21.5	49.5	29.5
PLJ06-04	4	6	11.5	34	19
PLJ08-04	4	8	11.5	35.5	19
PLJ08-06	6	8	13.5	35.7	19.2
PLJ10-06	6	10	13.5	39.5	19.2
PLJ10-08	8	10	15	42.5	22.5
PLJ12-08	8	12	15	44	22.5
PLJ12-10	10	12	19	48.3	27.8

PLJ45- 插入型 45°弯头

MODEL	ΦD	ΦD1	L1	L2	L3	L4	ΦD2
PLJ45 04	4	4	12.5	35	19	52	11.5
PLJ45 06	6	6	13	35.5	19.2	53.5	13.5
PLJ45 08	8	8	14	40.5	22.5	61	15
PLJ45 10	10	10	18	48.5	27.8	75	19
PLJ45 12	12	12	19	52	29.5	80	21.5
PLJ45 06-04	4	6	13	35	19	52	11.5
PLJ45 08-06	6	8	14	37	19.2	55	13.5
PLJ45 10-08	8	10	18	44.5	22.5	65	15
PLJ45 12-10	10	12	19	50	27.8	76.5	19

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

PGT 外六角双向接头		MODEL	ΦD	R	L1	L2	L3	L4	ΦD1	
		PGT04-01	4	R1/8	7.5	16	26.2	47	13.5	12
		PGT06-01	6	R1/8	7.5	16	26.5	47	13.5	12
		PGT06-02		R1/4	9.5	19.5	32.5	54	15	14
		PGT08-01	8	R1/8	7.5	16	26.5	51	15	12
		PGT08-02		R1/4	9.5	19.5	32.5	54	15	14
		PGT10-02	10	R1/4	9.5	19.5	32.5	63	19	14

PYJ 插入型 Y 三通		MODEL	ΦD	ΦD1	ΦD2	ΦD3	L1	L2	L3	L4
		PYJ04	4	4	11.5	3.2	52.5	33.5	14.5	11
		PYJ06	6	6	13.5	3.2	53.8	34.8	15	13
		PYJ08	8	8	15	3.2	57.8	37.3	18	15
		PYJ10	10	10	19	4.2	71	46.5	21	18
		PYJ12	12	12	21.5	4.2	75.5	49.5	21.5	21
		PYJ06-04	4	6	11.5	3.2	52.8	33.8	14.5	11
		PYJ08-04	4	8	11.5	3.2	54.3	33.8	14.5	11
		PYJ08-06	6	8	13.5	3.2	55.5	35	15	13
		PYJ10-06	6	10	13.5	3.2	59.5	35	15	13
		PYJ10-08	8	10	15	3.2	62	37.3	18	15
		PYJ12-08	8	12	15	3.2	63.3	37.3	18	15
		PYJ12-10	10	12	19	4.2	72.5	46.5	21	18


4.1·快插式气动管接头

4.1· Quick Connecting Tube Fittings




PGL
插入型塑料直通





MODEL	ΦD	ΦD1	ΦD2	L1	L2
PGL06-04	6	4	11	20	36.5
PGL08-04	8	4	11	22	36.5
PGL08-06	8	6	13	22	39
PGL10-06	10	6	13	24.5	38.5
PGL10-08	10	8	14.5	24.5	44
PGL12-06	12	6	13	26.5	39.5
PGL12-08	12	8	14.5	26.5	43
PGL12-10	12	10	18.5	26.5	50

 PPF 管帽 		<table> <tr> <th>MODEL</th><th>ΦD</th><th>ΦD1</th><th>L</th></tr> <tr> <td>PPF-04</td><td>4</td><td>11.5</td><td>17.5</td></tr> <tr> <td>PPF-06</td><td>6</td><td>13.5</td><td>17.7</td></tr> <tr> <td>PPF-07</td><td>7</td><td>15</td><td>19.5</td></tr> <tr> <td>PPF-08</td><td>8</td><td>15</td><td>19.5</td></tr> <tr> <td>PPF-10</td><td>10</td><td>19</td><td>25</td></tr> <tr> <td>PPF-12</td><td>12</td><td>21.5</td><td>26</td></tr> </table>	MODEL	ΦD	ΦD1	L	PPF-04	4	11.5	17.5	PPF-06	6	13.5	17.7	PPF-07	7	15	19.5	PPF-08	8	15	19.5	PPF-10	10	19	25	PPF-12	12	21.5	26
MODEL	ΦD	ΦD1	L																											
PPF-04	4	11.5	17.5																											
PPF-06	6	13.5	17.7																											
PPF-07	7	15	19.5																											
PPF-08	8	15	19.5																											
PPF-10	10	19	25																											
PPF-12	12	21.5	26																											

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

PP 管塞


MODEL	ΦD	ΦD1	ΦD2	L1	L2
PP04	4	5	3	15	28
PP06	6	7	3	17	33
PP08	8	9	4	18	37
PP10	10	11	5	20.5	42
PP12	12	13	6	23	44

PC-G

MODEL	ΦD	G	D1	ΦD2	L1	L2	○	✂
PC04-G01	4	G1/8	10	14	5.5	19.5	3	10
PC04-G02		G1/4	10	17	7.5	18.6	3	10
PC04-G03		G3/8	10	20	7.5	19.6	3	10
PC06-G01	6	G1/8	12	14	5.5	22	4	12
PC06-G02		G1/4	12	17	7.5	22.5	4	12
PC06-G03		G3/8	12	20	7.5	20.3	4	12
PC06-G04	6	G1/2	12	24	10	23	4	12
PC08-G01	8	G1/8	14	14	5.5	25	4	14
PC08-G02		G1/4	14	17	7.5	24	5	14
PC08-G03		G3/8	14	20	7.5	20.5	6	14
PC08-G04	8	G1/2	14	24	10	24	6	14
PC10-G01	10	G1/8	17	14	5.5	29	4	17
PC10-G02		G1/4	17	17	7.5	30.5	6	17
PC10-G03		G3/8	17	20	7.5	27	8	17
PC10-G04	10	G1/2	17	24	10	30	8	17
PC12-G01	12	G1/8	20	14	5.5	30	4	21
PC12-G02		G1/4	20	17	7.5	33	6	21
PC12-G03		G3/8	20	20	7.5	28	8	21
PC12-G04	12	G1/2	20	24	10	30.5	8	21
PC14-G03	14	G3/8	22	20	7.5	32.5	8	22
PC14-G04		G1/2	22	24	10	30	10	24
PC15-G03	15	G3/8	24	20	7.5	34.5	8	24
PC15-G04		G1/2	24	24	10	31.5	10	24
PC16-G03	16	G3/8	24	20	7.5	35	8	24
PC16-G04			24	24	10	37	10	24


4.1 · 快插式气动管接头


4.1 · Quick Connecting Tube Fittings

		MODEL	ΦD	G	L1	L2	L3	ΦD1	○
		PB04-G01	4	G1/8	5.5	25.5	38	11.5	14
		PB04-G02		G1/4	7.5	28	38	11.5	17
		PB04-G03		G3/8	7.5	28.5	38	11.5	20
		PB06-G01	6	G1/8	5.5	26.7	39	13.5	14
		PB06-G02		G1/4	7.5	28.2	39	13.5	17
		PB06-G03		G3/8	7.5	28.7	39	13.5	20
		PB06-G04		G1/2	10	31.2	39	13.5	24
		PB08-G01	8	G1/8	5.5	29	45	15	14
		PB08-G02		G1/4	7.5	31.5	45	15	17
		PB08-G03		G3/8	7.5	32	45	15	20
		PB08-G04		G1/2	10	34.5	45	15	24
		PB10-G01	10	G1/8	5.5	34.5	57	19	17
		PB10-G02		G1/4	7.5	37	57	19	17
		PB10-G03		G3/8	7.5	37	57	19	20
		PB10-G04		G1/2	10	40.5	57	19	24
		PB12-G01	12	G1/8	5.5	36	59	21.5	21
		PB12-G02		G1/4	7.5	38.5	59	21.5	21
		PB12-G03		G3/8	7.5	38.5	59	21.5	21
		PB12-G04		G1/2	10	41.5	59	21.5	24
		PB14-G03	14	G3/8	7.5	39.5	60	24	22
		PB14-G04		G1/2	10	43	60	24	24
		PB15-G03	15	G3/8	7.5	42.5	66	26.5	24
		PB15-G04		G1/2	10	44.5	66	26.5	24
		PB16-G03	16	G3/8	7.5	42.5	66	26.5	24
		PB16-G04		G1/2	10	44.5	66	26.5	24

4.1 · 快插式气动管接头


4.1 · Quick Connecting Tube Fittings

		MODEL	ΦD	G	L1	L2	ΦD1	🔧
		PCF04-G01	4	G1/8	8.5	24	10	14
		PCF04-G02		G1/4	11	26.5	10	17
		PCF04-G03		G3/8	12	28	10	21
		PCF06-G01	6	G1/8	8.5	24.5	12	14
		PCF06-G02		G1/4	11	27	12	17
		PCF06-G03		G3/8	12	28	12	21
		PCF06-G04		G1/2	14	30	12	24
		PCF08-G01	8	G1/8	8.5	26	14	14
		PCF08-G02		G1/4	11	28.5	14	17
		PCF08-G03		G3/8	12	29.5	14	21
		PCF08-G04		G1/2	14	31.5	14	24
		PCF10-G01	10	G1/8	8.5	29.5	17	17
		PCF10-G02		G1/4	11	32.7	17	17
		PCF10-G03		G3/8	12	33	17	21
		PCF10-G04		G1/2	14	35.7	17	24
		PCF12-G01	12	G1/8	8.5	31	20	21
		PCF12-G02		G1/4	11	33.5	20	21
		PCF12-G03		G3/8	12	34.5	20	21
		PCF12-G04		G1/2	14	36.5	20	24

		MODEL	ΦD	G	L1	L2	ΦD1	⊙
		POC04-G01	4	G1/8	5.5	19	14	3
		POC04-G02		G1/4	7.5	17.5	17	3
		POC06-G01	6	G1/8	5.5	22	14	4
		POC06-G02		G1/4	7.5	22.5	17	4
		POC06-G03		G3/8	7.5	18	20	4
		POC06-G04		G1/2	10	18	24	4
		POC08-G01	8	G1/8	5.5	25	14	4
		POC08-G02		G1/4	7.5	24	17	5
		POC08-G03		G3/8	7.5	20.5	20	6
		POC08-G04		G1/2	10	20.5	24	6
		POC10-G01	10	G1/8	5.5	29	17	4
		POC10-G02		G1/4	7.5	30.5	17	6
		POC10-G03		G3/8	7.5	27	20	8
		POC10-G04		G1/2	10	25	24	8
		POC12-G01	12	G1/8	5.5	30	21	4
		POC12-G02		G1/4	7.5	32	21	6
		POC12-G03		G3/8	7.5	28	21	8
		POC12-G04		G1/2	10	30.5	24	8


4.1 · 快插式气动管接头


4.1 · Quick Connecting Tube Fittings

 PD-G		MODEL	ΦD	G	L1	L2	L3	L4	ΦD1	
		PD04-G01	4	G1/8	5.5	25.5	44.5	19	11.5	14
		PD04-G02		G1/4	7.5	28	47	19	11.5	17
		PD06-G01	6	G1/8	5.5	25.7	44.9	19.2	13.5	14
		PD06-G02		G1/4	7.5	28.2	47.5	19.2	13.5	17
		PD06-G03		G3/8	7.5	28.7	48	19.2	13.5	20
		PD06-G04		G1/2	10	31.2	50.5	19.2	13.5	24
		PD08-G01	8	G1/8	5.5	29	51.5	22.5	15	14
		PD08-G02		G1/4	7.5	31.5	54	22.5	15	17
		PD08-G03		G3/8	7.5	32	54.5	22.5	15	20
		PD08-G04		G1/2	10	34.5	57	22.5	15	24
		PD10-G01	10	G1/8	5.5	34.5	63	27.8	19	17
		PD10-G02		G1/4	7.5	37	65.5	27.8	19	17
		PD10-G03		G3/8	7.5	37	65.5	27.8	19	20
		PD10-G04		G1/2	10	40.5	69	27.8	19	24
		PD12-G01	12	G1/8	5.5	36	65.5	29.5	21.5	21
		PD12-G02		G1/4	7.5	38.5	68	29.5	21.5	21
		PD12-G03		G3/8	7.5	38.5	68	29.5	21.5	21
		PD12-G04		G1/2	10	41.5	71	29.5	21.5	24
		PD14-G03	14	G3/8	7.5	39.5	66.5	27	23.5	22
		PD14-G04		G1/2	10	43	68.5	27	23.5	24
		PD15-G03	15	G3/8	7.5	42.5	75.5	33	26.5	24
		PD15-G04		G1/2	10	44	77	33	26.5	24
		PD16-G03	16	G3/8	7.5	42.5	75.5	33	26.5	24
		PD16-G04		G1/2	10	44	77	33	26.5	24

4.1 · 快插式气动管接头


4.1 · Quick Connecting Tube Fittings

PLN-G		MODEL	ΦD	G	L1	L2	L3	ΦD1	
		PLN04-G01	4	G1/8	5.5	22	19	11.5	14
		PLN04-G02		G1/4	7.5	19.5	19	11.5	17
		PLN04-G03		G3/8	7.5	20	19	11.5	20
		PLN06-G01	6	G1/8	5.5	23	19.2	13.5	14
		PLN06-G02		G1/4	7.5	20.5	19.2	13.5	17
		PLN06-G03		G3/8	7.5	21	19.2	13.5	20
		PLN06-G04		G1/2	10	23.5	19.2	13.5	24
		PLN08-G01	8	G1/8	5.5	23.7	22.5	15	14
		PLN08-G02		G1/4	7.5	21.2	22.5	15	17
		PLN08-G03		G3/8	7.5	21.7	22.5	15	20
		PLN08-G04		G1/2	10	24.2	22.5	15	24
		PLN10-G01	10	G1/8	5.5	26	27.8	19	14
		PLN10-G02		G1/4	7.5	28	27.8	19	17
		PLN10-G03		G3/8	7.5	23.7	27.8	19	20
		PLN10-G04		G1/2	10	26.2	27.8	19	24
		PLN12-G01	12	G1/8	5.5	27.2	29.5	21.5	15
		PLN12-G02		G1/4	7.5	29.2	29.5	21.5	17
		PLN12-G03		G3/8	7.5	25	29.5	21.5	20
		PLN12-G04		G1/2	10	27.5	29.5	21.5	24
		PLN14-G03	14	G3/8	7.5	32	29.5	23.5	20
		PLN14-G04		G1/2	10	30.5	29.5	23.5	24
		PLN16-G03	16	G3/8	7.5	33	34	26.5	20
		PLN16-G04		G1/2	10	31.5	34	26.5	24

PA-G		MODEL	ΦD	G	L1	L2	L3	L4	L5	ΦD1	
		PA04-G01	4	G1/8	5.5	15.2	25.2	24	13	13	12
		PA06-G01	6	G1/8	5.5	15.2	25.2	24	13	13	12
		PA08-G02	8	G1/4	6.5	17.5	28.2	28.6	14.5	14.5	16
		PA10-G03	10	G3/8	7.5	21.3	35	34	18.5	18.5	19
		PA12-G04	12	G1/2	9	25.5	41.4	37.5	21	21	24

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

PL45-G 		MODEL	ΦD	G	L1	L2	L3	L4	ΦD1	
		PL45 04-G01	4	G1/8	5.5	25.5	19	42.5	11.5	14
		PL45 04-G02		G1/4	7.5	28	19	45	11.5	17
		PL45 04-G03		G3/8	7.5	28.5	19	45.5	11.5	20
		PL45 06-G01	6	G1/8	5.5	25.5	19.2	43.5	13.5	14
		PL45 06-G02		G1/4	7.5	28	19.2	46	13.5	17
		PL45 06-G03		G3/8	7.5	28.5	19.2	46.5	13.5	20
		PL45 06-G04		G1/2	10	31	19.2	49	13.5	24
		PL45 08-G01	8	G1/8	5.5	29	22.5	49.5	15	14
		PL45 08-G02		G1/4	7.5	31.5	22.5	52	15	17
		PL45 08-G03		G3/8	7.5	32	22.5	52.5	15	20
		PL45 08-G04		G1/2	10	34.5	22.5	55	15	24
		PL45 10-G01	10	G1/8	5.5	33.5	27.8	60	19	17
		PL45 10-G02		G1/4	7.5	36	27.8	62.5	19	17
		PL45 10-G03		G3/8	7.5	36	27.8	62.5	19	20
		PL45 10-G04		G1/2	10	39.5	27.8	66	19	24
		PL45 12-G01	12	G1/8	5.5	36	29.5	64	21.5	21
		PL45 12-G02		G1/4	7.5	38.5	29.5	66.5	21.5	21
		PL45 12-G03		G3/8	7.5	38.5	29.5	66.5	21.5	21
		PL45 12-G04			10	41.5	29.5	69.5	21.5	24

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

✓ PL-G


MODEL	ΦD	G	L1	L2	L3	ΦD1	
PL04-G01	4	G1/8	5.5	25.5	19	11.5	14
PL04-G02		G1/4	7.5	28	19	11.5	17
PL04-G03		G3/8	7.5	28.5	19	11.5	20
PL06-G01	6	G1/8	5.5	25.7	19.2	13.5	14
PL06-G02		G1/4	7.5	28.2	19.2	13.5	17
PL06-G03		G3/8	7.5	28.7	19.2	13.5	20
PL06-G04	6	G1/2	10	31.2	19.2	13.5	24
PL08-G01	8	G1/8	5.5	29	22.5	15	14
PL08-G02		G1/4	7.5	31.5	22.5	15	17
PL08-G03		G3/8	7.5	32	22.5	15	20
PL08-G04	8	G1/2	10	34.5	22.5	15	24
PL10-G01	10	G1/8	5.5	34	27.8	19	17
PL10-G02		G1/4	7.5	36.5	27.8	19	17
PL10-G03		G3/8	7.5	36.5	27.8	19	20
PL10-G04	10	G1/2	10	40	27.8	19	24
PL12-G01	12	G1/8	5.5	36	29.5	21.5	21
PL12-G02		G1/4	7.5	38.5	29.5	21.5	21
PL12-G03		G3/8	7.5	38.5	29.5	21.5	21
PL12-G04	12	G1/2	10	41.5	29.5	21.5	24
PL14-G03	14	G3/8	7.5	39	30.5	23.5	22
PL14-G04		G1/2	10	42.5	30.5	23.5	24
PL15-G03	15	G3/8	7.5	42.5	33	26.5	24
PL15-G04		G1/2	10	44.5	33	26.5	24
PL16-G03	16	G3/8	7.5	42.5	33	26.5	24
PL16-G04			10	44.5	33	26.5	24


✓ PAF-G

MODEL	ΦD	G	G1	L	L1	L2	L3	L4	L5	ΦD1	
PAF04-G01	4	G1/8	G1/8	8.5	5.5	15.2	30.7	24	13	13	13
PAF06-G01	6	G1/8	G1/8	8.5	5.5	15.2	30.7	24	13	13	13
PAF08-G02	8	G1/4	G1/4	11	6.5	17.5	36.7	28.6	14.5	14.5	16
PAF10-G03	10	G3/8	G3/8	12	7.5	21.3	43.5	34	18.5	18.5	20
PAF12-G04	12	G1/2	G1/2	14	9	25.5	50.9	37.5	21	21	24

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

		MODEL	ΦD	G	L1	L2	L3	ΦD1	✎
		PLL04-G01	4	G1/8	5.5	37.5	19	11.5	14
		PLL04-G02		G1/4	7.5	39.5	19	11.5	17
		PLL06-G01	6	G1/8	5.5	39.2	19.2	13.5	14
		PLL06-G02		G1/4	7.5	41.7	19.2	13.5	17
		PLL06-G03		G3/8	7.5	43.2	19.2	13.5	20
		PLL06-G04		G1/2	10	47.2	19.2	13.5	24
		PLL08-G01	8	G1/8	5.5	44.3	22.5	15	14
		PLL08-G02		G1/4	7.5	46.3	22.5	15	17
		PLL08-G03		G3/8	7.5	48	22.5	15	20
		PLL08-G04		G1/2	10	50.3	22.5	15	24
		PLL10-G01	10	G1/8	5.5	56	27.8	19	17
		PLL10-G02		G1/4	7.5	56.5	27.8	19	17
		PLL10-G03		G3/8	7.5	56.5	27.8	19	20
		PLL10-G04		G1/2	10	60	27.8	19	24
		PLL12-G01	12	G1/8	5.5	59	29.5	21.5	21
		PLL12-G02		G1/4	7.5	51.4	29.5	21.5	21
		PLL12-G03		G3/8	7.5	62	29.5	21.5	21
		PLL12-G04			10	65	29.5	21.5	24

		MODEL	ΦD	G	ΦD1	ΦD2	ΦD3	ΦD4	H1	H2	L	L1	L2	L3	✎
		PKD04-G01	4	G1/8	4	14.5	14.5	3.2	19	9	68	5.5	42	26	14
		PKD04-G02		G1/4	4	14.5	14.5	3.2	19	9	70	7.5	42	26	17
		PKD06-G01	6	G1/8	6	14.5	14.5	3.2	20.5	9	68	5.5	42	26	14
		PKD06-G02		G1/4	6	14.5	14.5	3.2	20.5	9	70	7.5	42	26	17
		PKD06-G03		G3/8	6	14.5	14.5	3.2	20.5	9	70.5	7.5	42	26	20
		PKD06-G04		G1/2	6	14.5	14.5	3.2	20.5	9	73	10	42	26	24
		PKD08-G01	8	G1/8	8	18.4	14.5	4.2	24	11	87	5.5	48	29	14
		PKD08-G02		G1/4	8	18.4	14.5	4.2	24	11	89	7.5	48	29	17
		PKD08-G03		G3/8	8	18.4	14.5	4.2	24	11	89.5	7.5	48	29	20
		PKD08-G04		G1/2	8	18.4	14.5	4.2	24	11	92.5	10	48	29	24
		PKD10-G01	10	G1/8	10	18.4	18.4	4.2	27.5	12	95.5	5.5	60.8	37	17
		PKD10-G02		G1/4	10	18.4	18.4	4.2	27.5	12	98	7.5	60.8	37	17
		PKD10-G03		G3/8	10	18.4	18.4	4.2	27.5	12	98.5	7.5	60.8	37	20
		PKD10-G04		G1/2	10	18.4	18.4	4.2	27.5	12	101.5	10	60.8	37	24

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

		MODEL	ΦD	G	L1	L2	L3	L4	ΦD1	
		PH04-G01	4	G1/8	5.5	14.5	23.2	23.5	11.5	12
		PH04-G02		G1/4	7.5	17.3	26.5	25.5	11.5	14
		PH06-G01	6	G1/8	5.5	14.5	23.2	23.5	13.5	12
		PH06-G02		G1/4	7.5	16.7	26.5	25.4	13.5	14
		PH06-G03		G3/8	7.5	19	32	29.5	13.5	19
		PH06-G04		G1/2	10	24.5	38.5	32.5	13.5	24
		PH08-G01	8	G1/8	5.5	15.2	23.2	26.5	15	12
		PH08-G02		G1/4	7.5	18	26.5	28.9	15	14
		PH08-G03		G3/8	7.5	19	32	29.8	15	19
		PH08-G04		G1/2	10	24.5	38.5	32.5	15	24
		PH10-G01	10	G1/8	5.5	17.2	23.2	30.5	19	12
		PH10-G02		G1/4	7.5	20	26.5	32.6	19	14
		PH10-G03		G3/8	7.5	21	32	33	19	19
		PH10-G04		G1/2	10	24.7	38.5	36	19	24
		PH12-G02	12	G1/4	7.5	21.3	26.5	33.5	21.5	14
		PH12-G03		G3/8	7.5	22.2	32	35.5	21.5	19
		PH12-G04		G1/2	10	26	38.5	36.5	21.5	24

		MODEL	ΦD	G	L1	L2	L3	L4	ΦD1	ΦD2	
		PX04-G01	4	G1/8	5.5	11	43	14.5	11.5	3.2	14
		PX04-G02		G1/4	7.5	11	45.5	14.5	11.5	3.2	17
		PX04-G03		G3/8	7.5	11	46	14.5	11.5	3.2	20
		PX06-G01	6	G1/8	5.5	13	44	15	13.5	3.2	14
		PX06-G02		G1/4	7.5	13	46.5	15	13.5	3.2	17
		PX06-G03		G3/8	7.5	13	47	15	13.5	3.2	20
		PX06-G04		G1/2	10	13	49.5	15	13.5	3.2	24
		PX08-G01	8	G1/8	5.5	15	46.3	18	15	3.2	14
		PX08-G02		G1/4	7.5	15	48.8	18	15	3.2	17
		PX08-G03		G3/8	7.5	15	49.3	18	15	3.2	20
		PX08-G04		G1/2	10	15	51.8	18	15	3.2	24
		PX10-G01	10	G1/8	5.5	18	56	21	19	4.2	17
		PX10-G02		G1/4	7.5	18	58.5	21	19	4.2	17
		PX10-G03		G3/8	7.5	18	58.5	21	19	4.2	20
		PX10-G04		G1/2	10	18	62	21	19	4.2	24
		PX12-G01	12	G1/8	5.5	21	59.5	21.5	21.5	4.2	21
		PX12-G02		G1/4	7.5	21	62	21.5	21.5	4.2	21
		PX12-G03		G3/8	7.5	21	62	21.5	21.5	4.2	21
		PX12-G04			10	21	65	21.5	21.5	4.2	24

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

MODEL	ΦD	G	L1	L2	L3	L4	L5	ΦD1	
PHT04-G01(2)	4	G1/8	5.5	14	15	38.2	23.5	11.5	12
PHT04-G02(2)		G1/4	7.5	17.3	15	41.3	25.5	11.5	14
PHT06-G01(2)	6	G1/8	5.5	14	15	38.2	23.5	13.5	12
PHT06-G02(2)		G1/4	7.5	17.3	15	41.3	25.4	13.5	14
PHT06-G03(2)		G3/8	7.5	19	15.7	48.7	29.5	13.5	19
PHT08-G01(2)	8	G1/8	5.5	15	15	38.2	26.5	15	12
PHT08-G02(2)		G1/4	7.5	18.3	15	41.3	29	15	14
PHT08-G03(2)		G3/8	7.5	19	15.7	48.7	30	15	19
PHT08-G04(2)		G1/2	10	24.5	21.5	60.5	32.5	15	24
PHT10-G01(2)	10	G1/8	5.5	16.8	19	42.2	30.5	19	12
PHT10-G02(2)		G1/4	7.5	20	21.5	47.8	32.5	19	14
PHT10-G03(2)		G3/8	7.5	21	21.5	54.2	33	19	19
PHT10-G04(2)		G1/2	10	25	21.5	60.5	36	19	24
PHT12-G02(2)	12	G1/4	7.5	21.5	21.5	47.8	33.5	21.5	14
PHT12-G03(2)		G3/8	7.5	22	21.5	54.2	35.5	21.5	19
PHT12-G04(2)		G1/2	10	26	21.5	60.5	36.5	21.5	24

PHT-G(3)


MODEL	ΦD	G	L1	L2	L3	L4	L5	L6	ΦD1	
PHT04-G01(3)	4	G1/8	5.5	14	15	15	53.2	23.5	11.5	12
PHT04-G02(3)		G1/4	7.5	17.3	15	15	56.3	25.5	11.5	14
PHT06-G01(3)	6	G1/8	5.5	14	15	15	53.2	23.5	13.5	12
PHT06-G02(3)		G1/4	7.5	17.3	15	15	56.3	25.4	13.5	14
PHT06-G03(3)		G3/8	7.5	19	15.7	15.7	64.4	29.5	13.5	19
PHT08-G01(3)	8	G1/8	5.5	15	15	15	53.2	26.5	15	12
PHT08-G02(3)		G1/4	7.5	18.3	15	15	56.3	29	15	14
PHT08-G03(3)		G3/8	7.5	19	15.7	15.7	64.4	30	15	19
PHT08-G04(3)	10	G1/2	10	24.5	21.5	21.5	82	32.5	15	24
PHT10-G01(3)		G1/8	5.5	16.8	19	19	61.2	30.3	19	12
PHT10-G02(3)		G1/4	7.5	20	21.5	21.5	69.3	32.5	19	14
PHT10-G03(3)		G3/8	7.5	21	21.2	21.2	75.4	33	19	19
PHT10-G04(3)	12	G1/2	10	25	21.5	21.5	82	36	19	24
PHT12-G02(3)		G1/4	7.5	21.5	21.5	21.5	69.3	33.5	21.5	14
PHT12-G03(3)		G3/8	7.5	22	21.2	21.2	75.4	35.5	21.5	19
PHT12-G04(3)		G1/2	10	26	21.5	21.5	82	36.5	21.5	24

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings


PAT-G(2)




MODEL	ΦD	G	L1	L2	L3	L4	J	ΦD1		
PAT04-G01(2)	4	G1/8	5.5	16.5	40	24	14	13	14	5
PAT04-G02(2)	4	G1/4	6.5	18	41.5	24	14	13	16	5
PAT04-G03(2)	4	G3/8	7.5	19	42.5	24	14	13	20	5
PAT06-G01(2)	6	G1/8	5.5	16.5	40	24	14	13	14	5
PAT06-G02(2)	6	G1/4	6.5	18	41.5	24	14	13	16	5
PAT06-G03(2)	6	G3/8	7.5	19	42.5	24	14	13	20	5
PAT08-G01(2)	8	G1/8	5.5	18	43.5	28.6	15	14.5	17	6
PAT08-G02(2)	8	G1/4	6.5	18.5	44	28.6	15	14.5	17	6
PAT08-G03(2)	8	G3/8	7.5	19.5	45	28.6	15	14.5	20	6
PAT08-G04(2)	8	G1/2	9	21.5	47	28.6	15	14.5	24	6
PAT10-G02(2)	10	G1/4	7.5	25	56.5	34	19	18.5	21	-
PAT10-G03(2)	10	G3/8	7.5	25	56.5	34	19	18.5	21	-
PAT10-G04(2)	10	G1/2	9	24.5	56	34	19	18.5	24	-
PAT12-G02(2)	12	G1/4	7.5	28.5	64.5	37.5	22	21	26	-
PAT12-G03(2)	12	G3/8	7.5	28.5	64.5	37.5	22	21	26	-
PAT12-G04(2)	12	G1/2	9	30	66	37.5	22	21	26	-


PAT-G(3)



MODEL	ΦD	G	L1	L2	L3	L4	J	ΦD1		
PAT04-G01(3)	4	G1/8	5.5	16.5	54	24	14	13	14	5
PAT04-G02(3)	4	G1/4	6.5	18	55.5	24	14	13	16	5
PAT04-G03(3)	4	G3/8	7.5	19	56.5	24	14	13	20	5
PAT06-G01(3)	6	G1/8	5.5	16.5	54	24	14	13	14	5
PAT06-G02(3)	6	G1/4	6.5	18	55.5	24	14	13	16	5
PAT06-G03(3)	6	G3/8	7.5	19	56.5	24	14	13	20	5
PAT08-G01(3)	8	G1/8	5.5	18	58.5	28.6	15	14.5	17	6
PAT08-G02(3)	8	G1/4	6.5	18.5	59	28.6	15	14.5	17	6
PAT08-G03(3)	8	G3/8	7.5	19.5	60	28.6	15	14.5	20	6
PAT08-G04(3)	8	G1/2	9	21.5	62	28.6	15	14.5	24	6
PAT10-G02(3)	10	G1/4	7.5	25	75.5	34	19	18.5	21	-
PAT10-G03(3)	10	G3/8	7.5	25	75.5	34	19	18.5	21	-
PAT10-G04(3)	10	G1/2	9	24.5	75	34	19	18.5	24	-
PAT12-G02(3)	12	G1/4	7.5	28.5	86.5	37.5	22	21	26	-
PAT12-G03(3)	12	G3/8	7.5	28.5	86.5	37.5	22	21	26	-
PAT12-G04(3)	12	G1/2	9	30	88	37.5	22	21	26	-

4.1 · 快插式气动管接头


4.1 · Quick Connecting Tube Fittings

PGT-G			MODEL	ΦD	G	L1	L2	L3	L4	ΦD1	↻
			PGT04-G01	4	G1/8	5.5	15.5	26.2	47	13.3	12
			PGT06-G01	6	G1/8	5.5	15.5	26.2	47	13.3	12
			PGT06-G02		G1/4	7.5	20.5	33	54	14.8	14
			PGT08-G01	8	G1/8	5.5	15.5	26.2	51	14.8	12
			PGT08-G02		G1/4	7.5	20.5	33	54	14.8	14
			PGT10-G02	10	G1/4	7.5	20.5	33	63	18.7	14

PXT-G			MODEL	ΦD	G	L3	ΦD1	ΦD2	L	L1	L2	↻
			PXT04-G01	4	G1/8	5.5	11.5	3.2	11	43	15	14
			PXT04-G02	4	G1/4	7.5	11.5	3.2	11	45.5	15	17
			PXT06-G01	4	G1/8	5.5	13.5	3.2	13	46.5	15.5	14
			PXT06-G02	6	G1/4	7.5	13.5	3.2	13	49	15.5	17
			PXT06-G03	6	G3/8	7.5	13.5	3.2	13	49.5	15.5	20
			PXT06-G04	6	G1/2	10	13.5	3.2	13	52	15.5	24
			PXT08-G01	8	G1/8	5.5	15	3.2	15	47.5	16.5	14
			PXT08-G02	8	G1/4	7.5	15	3.2	15	50	16.5	17
			PXT08-G03	8	G3/8	7.5	15	3.2	15	50.5	16.5	20
			PXT08-G04	8	G1/2	10	15	3.2	15	53	16.5	24

4.1 · 快插式气动管接头

4.1 · Quick Connecting Tube Fittings

PHF-G 		MODEL	ΦD	G	G1	L1	L2	L3	L4	ΦD1	
		PHF04-G01	4	G1/8	G1/8	5.5	8.5	29	23.5	11.5	14
		PHF04-G02		G1/4	G1/4	7.5	11	35	25.5	11.5	17
		PHF06-G01	6	G1/8	G1/8	5.5	8.5	29	23.5	13.5	14
		PHF06-G02		G1/4	G1/4	7.5	11	35	25.4	13.5	17
		PHF06-G03		G3/8	G3/8	7.5	12	40	29.5	13.5	21
		PHF06-G04		G1/2	G1/2	10	14	47.5	32.5	13.5	24
		PHF08-G01	8	G1/8	G1/8	5.5	8.5	29	26.5	15	14
		PHF08-G02		G1/4	G1/4	7.5	11	35	28.9	15	17
		PHF08-G03		G3/8	G3/8	7.5	12	40	29.8	15	21
		PHF08-G04		G1/2	G1/2	10	14	47.5	32.5	15	24
		PHF10-G01	10	G1/8	G1/8	5.5	8.5	32	30.3	19	14
		PHF10-G02		G1/4	G1/4	7.5	11	35	32.6	19	17
		PHF10-G03		G3/8	G3/8	7.5	12	40	33	19	21
		PHF10-G04		G1/2	G1/2	10	14	47.5	36	19	24
		PHF12-G02	12	G1/4	G1/4	7.5	11	35	33.5	21.5	17
		PHF12-G03		G3/8	G3/8	7.5	12	40	35.5	21.5	21
		PHF12-G04			G1/2	10	14	47.5	36.5	21.5	24

中国	德国
+86 400 101 8889	+49 (30) 72088-0
美国	日本
+01 630 995 3674	+81 03 6809 1696



© 未经恒立气动公司授权，此宣传册任何部分不得以任何方式翻版、编辑、复制及使用电子方式进行传播。由于产品一直在不断开发创新中，本宣传册中信息不针对特定行业的特殊条件或适用性，对于因此而产生的任何不完整或不准确描述，恒立气动不承担责任。